

DeLaval melkevogn CMM120 og CMM200+

We live milk



DeLaval melkevogn CMM+

Tekniske data

- Lavt tyngdepunkt
- Enkel ankomst

| TEKNISKE DATA | CMM120+ | CMM200+ |
|--------------------|------------------------|------------------|
| Volum | 120 liter | 200 liter |
| Lengde | 130 cm | 150 cm |
| Bredde | 80 cm | 80 cm |
| Høyde | 120 cm | 120 cm |
| Komponenter | CMM120+/CMM200+ | |
| Mikser | 0,37 kW/230V | |
| Varmer | 4,5 kW/400V | |
| Batteri | 24V/50Ah (2x12V/50Ah) | |
| Porsjonskontroll | 24V/maks. 8A | |
| Fremdriftssystemet | 24V | |
| Ladesystem | 400V/50Hz/230V/50Hz | |

DeLaval melkevogn CMM+ Rustfritt og enkelt

- Oval melketank
- Hygienisk
- Vaskepistol
- Effektiv bra rengjøring



We live milk

DeLaval melkevogn CMM+ Holder melka varm - enkel å styre

- To-lags tank
- Vannbadprinsippet
- Dosering
- Knappe- eller hurtigtaster, 6 muligheter
- Timer for start av melkevarming



DeLaval melkevogn CMM+ Fremdrift

- Ett artikkelnummer
- Passer de fleste fjøs
- Förster-teknikk

We live milk



DeLaval melkevogn CMM+ Strøm

- 1fas 230V
- 3fas 400V
- Lader og vasker
- Sluk i nærheten



We live milk

